


AUDI

100 / 100 Avant (43, C2)							06.1976 - 07.1982			
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
443 419 801 A	with accessories			11000	11001			with accessories	443 419 802 A	
431 407 183 A	for control arm			2003	2003			for control arm	431 407 183 A	



100 / 100 Avant (44, 44Q, C3)							08.1982 - 07.1991			
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
443 419 801 A	with accessories			11000	11001			with accessories	443 419 802 A	
443 419 811 B	Thread Size: M16x1,5 Inner Thread: M16x1,5 mm with right-hand thread			3018	3017			Thread Size: M16x1,5 Inner Thread: M16x1,5 mm with right-hand thread	443 419 812 B	
431 407 181 F	for control arm			2387	2387			for control arm	431 407 181 F	
431 407 183 A	for control arm			2003	2003			for control arm	431 407 183 A	
4A0 511 249	for drag link Mounting Type: Rubber-metal Bearing			2389	2389			for drag link Mounting Type: Rubber-metal Bearing	4A0 511 249	
443 505 351 P	Control Arm with accessories Steel			1018	1019			Control Arm with accessories Steel	443 505 352 P	
443 511 523 B				2388	2388				443 511 523 B	
443 505 171 F	Mounting Type: Rubber Bearing for drag link			2006	2006			Mounting Type: Rubber Bearing for drag link	443 505 171 F	



100 / 100 Avant (44, 44Q, C3)

08.1982 - 07.1991

2388



2006



2388



2006



100 / 100 Avant (4A, C4)

12.1990 - 07.1994

OEM	Info	F / R	Type			Type	F / R	Info	OEM
4A0 419 801 A	with accessories			11002	11003			with accessories	4A0 419 802 A
443 419 811 B	Thread Size: M16x1,5 Inner Thread: M16x1,5 mm with right-hand thread			3018	3017			Thread Size: M16x1,5 Inner Thread: M16x1,5 mm with right-hand thread	443 419 812 B
4A0 419 811 A	with accessories			3019	3020			Length: 74 mm Cone Size: 14 mm Thread Measurement 1: M18x1,5 with accessories	4A0 419 812 A
4A0 407 151	Control Arm with rubber mounting Steel			1020	1021			Control Arm with rubber mounting Steel	4A0 407 152
4A0 407 181				2007	2007				4A0 407 181
4A0 407 183 C	for control arm			2008	2008			for control arm	4A0 407 183 C
4A0 511 249	for drag link Mounting Type: Rubber-metal Bearing			2389	2389			for drag link Mounting Type: Rubber-metal Bearing	4A0 511 249
4A0 505 389	Suspension Rod			5451	5451			Suspension Rod	4A0 505 389
443 505 351 P	Control Arm with accessories Steel			1018	1019			Control Arm with accessories Steel	443 505 352 P
443 511 523 B				2388	2388				443 511 523 B



11002



11003



3018



3017



3019



3020



1020



1021



2007



2007



2008



2008



AUDI



2389



2389

5451



5451

1018



1019

2388



2388

200 (43) / 200 / 200 Avant (44, 44Q)						10.1979 - 09.1982			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
443 419 801 A	with accessories			11000	11001			with accessories	443 419 802 A
443 419 811 B	Thread Size: M16x1,5 Inner Thread: M16x1,5 mm with right-hand thread			3018	3017			Thread Size: M16x1,5 Inner Thread: M16x1,5 mm with right-hand thread	443 419 812 B
431 407 181 F	for control arm			2387	2387			for control arm	431 407 181 F
431 407 183 A	for control arm			2003	2003			for control arm	431 407 183 A
4A0 511 249	for drag link Mounting Type: Rubber-metal Bearing			2389	2389			for drag link Mounting Type: Rubber-metal Bearing	4A0 511 249
443 505 351 P	Control Arm with accessories Steel			1018	1019			Control Arm with accessories Steel	443 505 352 P
443 505 171 F	Mounting Type: Rubber Bearing for drag link			2006	2006			Mounting Type: Rubber Bearing for drag link	443 505 171 F



11000



11001

3018



3017

2387



2387

2003



2003

2389



2389



1018



1019

2006



2006

AUDI

50 (86)								08.1974 - 07.1978	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
811 419 812	Outer Thread: M14x1,5 mm with right-hand thread			3021	3021			Outer Thread: M14x1,5 mm with right-hand thread	811 419 812



3021



3021

80 (80, 82, B1)								05.1972 - 07.1978	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
811 419 812	Outer Thread: M14x1,5 mm with right-hand thread			3021	3021			Outer Thread: M14x1,5 mm with right-hand thread	811 419 812



3021



3021

80 (8C, B4)								09.1991 - 12.1994	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
811 419 801 E	Adjustable			11005	11006			Adjustable	893 419 802
811 419 802 K				11004	11004				811 419 802 K
893 407 465	Suspension Rod Replace in pair only:			5015	5015			Suspension Rod Replace in pair only:	893 407 465
811 419 812 A	Inner Thread: M14x1,5 mm with right-hand thread			3022	3022			Inner Thread: M14x1,5 mm with right-hand thread	811 419 812 A
893 407 365 B	with accessories With oval flange boreholes			4224	4225			with accessories With oval flange boreholes	893 407 366 B
895 407 365 A	with accessories			4012	4226			with accessories	895 407 366 A
895 407 147 A	Control Arm without ball joint, with rubber mounting only with: 10053 Sheet Steel			1025	1026			Control Arm without ball joint, with rubber mounting only with: 10054 Sheet Steel	895 407 148 A
893 407 181				2011	2011				893 407 181
8A0 511 247 B	Mounting Type: Rubber-metal Bearing for control arm			2012	2012			Mounting Type: Rubber-metal Bearing for control arm	8A0 511 247 B
8A0 505 465 C	Suspension Rod Steel Replace in pair only:			5017	5018			Suspension Rod Steel Replace in pair only:	8A0 505 466 C
8A0 501 530 B	Control Arm			1024	1024			Control Arm	8A0 501 530 B
811 407 181				2009	2009				811 407 181
857 407 181				2010	2010				857 407 181



11005



11006



11004



11004



5015



5015



3022



3022



4224



4225



AUDI



4012

4226



1025



1026



2011



2011



2012



2012



5017



5018



1024



1024



2009



2009



2010



2010

80 / 90 (81, 85, B2)									
OEM	Info	F / R	Type			Type	F / R	Info	OEM
811 419 801 E	Adjustable			11005	11006			Adjustable	893 419 802
811 419 802 K				11004	11004				811 419 802 K
811 419 812 A	Inner Thread: M14x1,5 mm with right-hand thread			3022	3022			Inner Thread: M14x1,5 mm with right-hand thread	811 419 812 A
811 419 812	Outer Thread: M14x1,5 mm with right-hand thread			3021	3021			Outer Thread: M14x1,5 mm with right-hand thread	811 419 812
857 505 365	with accessories			4005	4005			with accessories	857 505 365
811 407 181				2009	2009				811 407 181
857 407 181				2010	2010				857 407 181



11005



11006



11004



11004



3022



3022




3021



3021

80 / 90 (81, 85, B2)



80 / 90 (89, 89Q, 8A, B3)

06.1986 - 10.1991

OEM	Info	F / R	Type			Type	F / R	Info	OEM
811 419 801 E	Adjustable			11005	11006			Adjustable	893 419 802
811 419 802 K				11004	11004				811 419 802 K
893 407 465	Suspension Rod Replace in pairs only:			5015	5015			Suspension Rod Replace in pairs only:	893 407 465
811 419 812 A	Inner Thread: M14x1,5 mm with right-hand thread			3022	3022			Inner Thread: M14x1,5 mm with right-hand thread	811 419 812 A
855 407 365	with accessories With round flange boreholes			4009	4007			with accessories With round flange boreholes	855 407 366
893 407 365 A				4006	4008			With round flange boreholes	893 407 366 A
855 407 365	with accessories With round flange boreholes			4009					
893 407 365 B	with accessories With oval flange boreholes			4224	4225			with accessories With oval flange boreholes	893 407 366 B
893 407 181				2011	2011				893 407 181
893 505 389	Suspension Rod			5016	5016			Suspension Rod	893 505 389
857 505 365	with accessories			4005	4005			with accessories	857 505 365
893 501 499 A	Control Arm			1022	1022			Control Arm	893 501 499 A
893 501 499 B	Control Arm			1023	1023			Control Arm	893 501 499 B
811 407 181				2009	2009				811 407 181
857 407 181				2010	2010				857 407 181

























AUDI

80 / 90 (89, 89Q, 8A, B3)

06.1986 - 10.1991



AUDI

80 Avant (8C, B4)						09.1991 - 01.1996				
OEM	Info	F / R	Type		Type	F / R	Info	OEM		
811 419 801 E	Adjustable			11005	11006		Adjustable	893 419 802		
811 419 802 K				11004	11004			811 419 802 K		
893 407 465	Suspension Rod Replace in pairs only:			5015	5015		Suspension Rod Replace in pairs only:	893 407 465		
811 419 812 A	Inner Thread: M14x1,5 mm with right-hand thread			3022	3022		Inner Thread: M14x1,5 mm with right-hand thread	811 419 812 A		
893 407 365 B	with accessories With oval flange boreholes			4224	4225		with accessories With oval flange boreholes	893 407 366 B		
895 407 365 A	with accessories			4012	4226		with accessories	895 407 366 A		
895 407 147 A	Control Arm without ball joint, with rubber mounting only with: 10053 Sheet Steel			1025	1026		Control Arm without ball joint, with rubber mounting only with: 10054 Sheet Steel	895 407 148 A		
893 407 181				2011	2011			893 407 181		
8A0 511 247 B	Mounting Type: Rubber-metal Bearing for control arm			2012	2012		Mounting Type: Rubber-metal Bearing for control arm	8A0 511 247 B		
8A0 505 465 C	Suspension Rod Steel Replace in pairs only:			5017	5018		Suspension Rod Steel Replace in pairs only:	8A0 505 466 C		
8A0 501 530 B	Control Arm			1024	1024		Control Arm	8A0 501 530 B		
857 407 181				2010	2010			857 407 181		
443 511 523 B				2388	2388			443 511 523 B		

AUDI

AUDI

80 Avant (8C, B4)

09.1991 - 01.1996



11005



11004



5015



11006



11004



5015



