





FIAT





125										07.1967 - 03.1974	
OEM	Info	F / R	Type			Type	F / R	Info	OEM		
4 193 224	with accessories with right-hand thread			3133	3133			with accessories with right-hand thread	4 193 224		



3133



3133





127										06.1971 - 12.1986	
OEM	Info	F / R	Type			Type	F / R	Info	OEM		
5 958 246	with right-hand thread Thread Size: M10x1			3046	3046			with right-hand thread Thread Size: M10x1	5 958 246		



3046



3046





128										03.1969 - 12.1984	
OEM	Info	F / R	Type			Type	F / R	Info	OEM		
4 402 361	Control Arm without bush Thread Size: M12x1,5			1238	1238			Control Arm without bush Thread Size: M12x1,5	4 402 361		



1238



1238





132										04.1972 - 12.1982	
OEM	Info	F / R	Type			Type	F / R	Info	OEM		
4 193 224	with accessories with right-hand thread			3133	3133			with accessories with right-hand thread	4 193 224		



3133



3133





1000er-Serie										01.1950 - 12.1970	
OEM	Info	F / R	Type			Type	F / R	Info	OEM		
4 193 224	with accessories with right-hand thread			3133	3133			with accessories with right-hand thread	4 193 224		































3133



3133

1500 Convertible						06.1964 - 10.1967			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
4 193 224	with accessories with right-hand thread			3133	3133			with accessories with right-hand thread	4 193 224



500 / 500 C						-7,2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
51 786 814	Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 240 mm			6070	6070			Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 240 mm	51 786 814
50 700 464	Suspension Rod			5133	5133			Suspension Rod	50 700 464
77 362 507	Thread Size: M12x1,5 Outer Thread: M10x1,25 mm			3134	3135			Thread Size: M12x1,5 Outer Thread: M10x1,25 mm	77 362 508
50 709 579	Control Arm Cast Steel for vehicles without Xenon light			1239	1240			Control Arm Cast Steel	50 709 580
50 710 671	Control Arm Cast Steel for vehicles without Xenon light			1241	1242			Control Arm Cast Steel	50 710 670
50 700 198				2421	2421				50 700 198
50 710 620				2145	2145				50 710 620



FIAT

ALBEA (178_)								-4,1996	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
46 456 189	Suspended with accessories			3137	3136			Height: 68 mm Suspended with accessories	46 456 660
46 779 293	with accessories			4064	4064			with accessories	46 779 293
46 437 959	with add-on material Cone Size: 15 mm Thread Size: M12x1,25			4065	4065			with add-on material Cone Size: 15 mm Thread Size: M12x1,25	46 437 959
46 454 595	Control Arm with ball joint, with rubber mounting Sheet Steel			1243	1244			Control Arm with ball joint, with rubber mounting Sheet Steel	46 454 596
46 454 597	Control Arm with ball joint, with rubber mounting Sheet Steel			1245	1246			Control Arm with ball joint, with rubber mounting Sheet Steel	46 454 598



ARGENTA (132A)								05.1977 - 03.1987	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
4 193 224	with accessories with right-hand thread			3133	3133			with accessories with right-hand thread	4 193 224



BARCETTA (183)								03.1995 - 05.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
9 948 343	Length: 245 mm Thread Size: M14x1,5 Thread Measurement 1: M12x1,5			6071	6071			Length: 245 mm Thread Size: M14x1,5 Thread Measurement 1: M12x1,5	9 948 343	
9 945 562				6072	6072				9 945 562	
7 752 285	with right-handthread			3138	3138			with right-handthread	7 752 285	
46 402 681	Control Arm Steel			1248	1247			Control Arm Steel	46 402 682	



BRAVA / BRAVO (182)								10.1995 - 02.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
9 939 675	Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 265 mm			6073	6073			Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 265 mm	9 939 675	
60 570 627	Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel			5000	5000			Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel	60 570 627	
60 809 495	for vehicles with power steering Inner Thread: M12x1,5mm with right-hand thread Length: 130 mm Cone Size: 13 mm			3001	3000			for vehicles with power steering Inner Thread: M12x1,5mm with right-hand thread Length: 130 mm Cone Size: 13 mm	60 809 494	
60 565 706	Inner Thread: M12x1,5mm with right-hand thread			3007	3008			Inner Thread: M12x1,5mm with right-hand thread	60 565 705	
98 845 030				3002	3002				98 845 030	
46 423 822	Control Arm Cast Steel			1250	1249			Control Arm Cast Steel	46 423 823	
46 423 824	Control Arm Steel			1001	1000			Control Arm Steel	46 423 825	



FIAT FIAT

BRAVA / BRAVO (182)

10.1995 - 02.2015



3001



3000



3007



3008



3002



3002



1250



1249



1001

1000

BRAVO II (198)

-6,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 949 217				6313	6313				9 949 217
50 700 464	Suspension Rod			5133	5133			Suspension Rod	50 700 464
9 949 218	Inner Thread: M12x1,5mm with accessories			3139	3139			Inner Thread: M12x1,5mm with accessories	9 949 218
50 705 463	Height: 55 mm			4066	4066			Height: 55 mm	50 705 463
50 705 464				1251	1252				50 705 465



6313



6313

5133



5133

3139



3139

4066



4066

1251



1252

FIAT

CINQUECENTO (170)								07.1991 - 07.1999	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
7 636 995	Control Arm Steel			1254	1253			Control Arm Steel	7 636 996



1254



1253

COUPE (FA/175)								11.1993 - 08.2000	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
60 570 627	Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel			5000	5000			Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel	60 570 627
60 809 495	for vehicles with power steering Inner Thread: M12x1,5 mm with right-hand thread Length: 130 mm Cone Size: 13 mm			3001	3000			for vehicles with power steering Inner Thread: M12x1,5 mm with right-hand thread Length: 130 mm Cone Size: 13 mm	60 809 494
60 565 706	Inner Thread: M12x1,5 mm with right-hand thread			3007	3008			Inner Thread: M12x1,5 mm with right-hand thread	60 565 705
46 423 824	Control Arm Steel			1001	1000			Control Arm Steel	46 423 825



5000



5000



3001



3000



3007



3008



1001



1000

CROMA (154)								12.1985 - 12.1996	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
82 387 676	with right-hand thread Outer Thread: M14x1,5 mm Cone Size: 14 mm with accessories			3011	3011			with right-hand thread Outer Thread: M14x1,5 mm Cone Size: 14 mm with accessories	82 387 676
60 801 425	Cone Size: 13 mm			4001	4001			Cone Size: 13 mm	60 801 425
82 403 643	for control arm			2146	2146			for control arm	82 403 643



3011



3011



4001



4001



2146



2146



CROMA (194)										-5,2015
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
	Thread Measurement 1: M18x1,5 Thread Size 2: M14x1,5 Length: 260 mm			6075	6075			Thread Measurement 1: M18x1,5 Thread Size 2: M14x1,5 Length: 260 mm		
51 741 130				5456	5456				51 741 130	
77 363 713	Thread Size: M12x1,5 Inner Thread: M14x1,5 mm with accessories			3140	3141			Thread Size: M12x1,5 Inner Thread: M14x1,5 mm with accessories	77 363 712	
51 748 653	Control Arm Aluminium			1255	1256			Control Arm Aluminium	51 748 652	
71 740 107	Mounting Type: Hydro Bearing Outer Diameter: 77,5 mm Inner Diameter: 19,0mm			2147	2147			Mounting Type: Hydro Bearing Outer Diameter: 77,5 mm Inner Diameter: 19,0mm	71 740 107	
	Outer Diameter: 35,5 mm			2150	2150			Outer Diameter: 35,5 mm		
71 740 112	Suspension Rod Length: 86 mm Total Length: 127 mm Sheet Steel			5457	5457			Suspension Rod Length: 86 mm Total Length: 127 mm Sheet Steel	71 740 112	
51 748 740	Sheet Steel			1257	1257			Sheet Steel	51 748 740	
51 748 736	Outer Diameter: 70,2 mm Inner Diameter: 12,1 mm Total Length: 65 mm Length: 44 mm			2148	2148			Outer Diameter: 70,2 mm Inner Diameter: 12,1 mm Total Length: 65 mm Length: 44 mm	51 748 736	
51 803 162	for control arm Inner Diameter: 14,05 mm Length: 54 mm, 24,93 mm Outer Diameter: 47,25 mm			2149	2149			for control arm Inner Diameter: 14,05 mm Length: 54 mm, 24,93 mm Outer Diameter: 47,25 mm	51 803 162	





Doblo / Doblo Cargo (119,223)								-1,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
98 845 026				6314	6314				98 845 026
98 845 025				6316	6316				98 845 025
46 456 189	Suspended with accessories			3137	3136			Height: 68 mm Suspended with accessories	46 456 660
98 845 030				3002	3002				98 845 030
46 779 293	with accessories			4064	4064			with accessories	46 779 293
46 543 045				4067	4067				46 543 045
46 539 001				1258	1259				46 539 000
46 767 267	Coupling Rod			5458	5458			Coupling Rod	46 767 267



FIAT

Doblo / Doblo Cargo (119, 223)

-1,2015

1258



1259



5458



5458



Doblo BODX BODY / ESTATE / Doblo Cargo (263)

-9,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
26 144 989	Thread Measurement 1: M18x1,5 Thread Size 2: M14x1,5			6315	6315			Thread Measurement 1: M18x1,5 Thread Size 2: M14x1,5	26 144 989

6315



6315



DUCATO (230, 230L)

03.1994 - 02.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 945 836				6060	6060				9 945 836
13 00 716 080	Suspension Rod Thread Size: M12x1,25 Length: 134 mm Steel			5120	5120			Suspension Rod Thread Size: M12x1,25 Length: 134 mm Steel	13 00 716 080
13 06 716 080	with right-handthread			3120	3120			with right-handthread	13 06 716 080
13 02 368 080				4057	4057				13 02 368 080
13 00 473 080				4058	4058				13 00 473 080
13 31 640 080	with accessories			4059	4059			with accessories	13 31 640 080
13 31 641 080	with accessories			4060	4060			with accessories	13 31 641 080
1320 786 080	Control Arm Cone Size: 20 mm			1222	1223			Control Arm Cone Size: 20 mm	1320 787 080
1320 755 080	Control Arm Cone Size: 24 mm			1224	1225			Control Arm Cone Size: 24 mm	1320 756 080

6060



6060



5120



5120



3120



3120



4057



4057



4058



4058



4059




4059



FIAT



DUCATO (244, Z_)								-2,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 945 836				6060	6060				9 945 836
13 00 716 080	Suspension Rod Thread Size: M12x1,25 Length: 134 mm Steel			5120	5120			Suspension Rod Thread Size: M12x1,25 Length: 134 mm Steel	13 00 716 080
13 06 716 080	with right-handthread			3120	3120			with right-handthread	13 06 716 080
77 362 278	with accessories			3121	3121			with accessories	77 362 278
13 31 640 080	with accessories			4059	4059			with accessories	13 31 640 080
13 31 641 080	with accessories			4060	4060			with accessories	13 31 641 080
1320 786 080	Control Arm Cone Size: 20 mm			1222	1223			Control Arm Cone Size: 20 mm	1320 787 080
1320 755 080	Control Arm Cone Size: 24 mm			1224	1225			Control Arm Cone Size: 24 mm	1320 756 080



FIAT

DUCATO (250)								-6,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1341 019 080	Thread Measurement 1: M16x1,5 Thread Size 2: M16x1,5 Length: 239,5 mm			6059	6059			Thread Measurement 1: M16x1,5 Thread Size 2: M16x1,5 Length: 239,5 mm	1341 019 080
77 364 253	Suspended Inner Thread: M16x1,5 mm Outer Thread: M14x1,5 mm Length: 210 mm for left-/right-hand traffic			3518	3119			Suspended Inner Thread: M16x1,5 mm Outer Thread: M14x1,5 mm Length: 210 mm for left-/right-hand traffic	77 364 009
50 705 629				4056	4056				50 705 629
1352 227 080	Control Arm Cast Steel			1218	1219			Control Arm Cast Steel	1352 225 080
1352 228 080	Control Arm Cast Steel			1220	1221			Control Arm Cast Steel	1352 226 080
13 52 357 080	Suspension Rod Length: 100 mm Pipe Ø: 8 mm Thread Size: M10x1,25			5119	5119			Suspension Rod Length: 100 mm Pipe Ø: 8 mm Thread Size: M10x1,25	13 52 357 080



DUCATO (280)								01.1982 - 08.1990	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
97 50 079 980	Length: 80 mm Cone Size: 16 mm Inner Thread: M16x1,5 mm with right-hand thread Thread Size: M16x1,5			3103	3103			Length: 80 mm Cone Size: 16 mm Inner Thread: M16x1,5 mm with right-hand thread Thread Size: M16x1,5	97 50 079 980



FIAT

DUCATO (290)								01.1990 - 05.1994	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
97 50 079 980	Length: 80 mm Cone Size: 16 mm Inner Thread: M16x1,5 mm with right-hand thread Thread Size: M16x1,5			3103	3103			Length: 80 mm Cone Size: 16 mm Inner Thread: M16x1,5 mm with right-hand thread Thread Size: M16x1,5	97 50 079 980
7 576 732	Control Arm without ball joint, with rubber mounting only with: 11591 Steel			1201	1200			Control Arm without ball joint, with rubber mounting only with: 11591 Steel	7 576 731



DUNA / Duna Weekend (146 B)								01.1987 - 12.1991	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
5 958 246	with right-hand thread Thread Size: M10x1			3046	3046			with right-hand thread Thread Size: M10x1	5 958 246
5 939 683	Control Arm with rubber mounting Sheet Steel			1261	1260			Control Arm with rubber mounting Sheet Steel	5 939 645



FIORINO Box Body / Estate (225)								-8,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
51 704 008	Suspension Rod Length: 290 mm Thread Size: M10x1,25			5122	5122			Suspension Rod Length: 290 mm Thread Size: M10x1,25	51 704 008
77 364 568	Cone Size: 14 mm Thread Size: M10x1,25 Length: 112 mm			3122	3123			Cone Size: 14 mm Thread Size: M10x1,25 Length: 112 mm	77 364 569
51 783 056				4002	4002				51 783 056
51 783 057	Control Arm Sheet Steel			1531	1532			Control Arm Sheet Steel	51 783 056
51 783 056	Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm			2000	2000			Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm	51 783 056
51 783 056	Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm			2001	2001			Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm	51 783 056



FIAT

FIORINO Box Body / Estate (225)

-8,2015



IDEA								-3,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
50 703 232				1262	1263				50 703 231
77 362 502				6079	6079				77 362 502



LINEA (323)								-7,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
51 704 008	Suspension Rod Length: 290 mm Thread Size: M10x1,25			5122	5122			Suspension Rod Length: 290 mm Thread Size: M10x1,25	51 704 008
77 364 568	Cone Size: 14 mm Thread Size: M10x1,25 Length: 112 mm			3122	3123			Cone Size: 14 mm Thread Size: M10x1,25 Length: 112 mm	77 364 569
51 783 056				4002	4002				51 783 056
51 783 057	Control Arm Sheet Steel			1531	1532			Control Arm Sheet Steel	51 783 056
51 783 056	Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm			2000	2000			Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm	51 783 056
51 783 056	Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm			2001	2001			Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm	51 783 056





Marea / Marea Weekend (185)							09.1996 - 07.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
9 947 713	Length: 320 mm Outer Thread: M14x1,5 mm			6058	6058			Length: 320 mm Outer Thread: M14x1,5 mm	9 947 713	
46 413 122	Suspension Rod Length: 276 mm Thread Size: M10x1,25			5137	5137			Suspension Rod Length: 276 mm Thread Size: M10x1,25	46 413 122	
9 947 926				3142	3142				9 947 926	
98 845 030				3002	3002				98 845 030	
46 423 824	Control Arm Steel			1001	1000			Control Arm Steel	46 423 825	



FIAT

MULTIPLA (186)								04.1999 - 10.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 947 713	Length: 320 mm Outer Thread: M14x1,5 mm			6058	6058			Length: 320 mm Outer Thread: M14x1,5 mm	9 947 713
46 413 122	Suspension Rod Length: 276 mm Thread Size: M10x1,25			5137	5137			Suspension Rod Length: 276 mm Thread Size: M10x1,25	46 413 122
98 845 030				3002	3002				98 845 030
46 525 407	Control Arm			1264	1265			Control Arm	46 522 142



PALIO / PALIO Weekend (178BX, 178DX)								-4,1996	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
7 079 382				6080	6080				7 079 382
9 948 292				6081	6081				9 948 292
7 081 851	Length: 248 mm Outer Thread: M14x1,5 mm Thread Size: M14x1,5			6082	6082			Length: 248 mm Outer Thread: M14x1,5 mm Thread Size: M14x1,5	7 081 851
46 456 189	Suspended with accessories			3137	3136			Height: 68 mm Suspended with accessories	46 456 660
46 779 293	with accessories			4064	4064			with accessories	46 779 293
46 437 959	with add-on material Cone Size: 15 mm Thread Size: M12x1,25			4065	4065			with add-on material Cone Size: 15 mm Thread Size: M12x1,25	46 437 959
46 454 595	Control Arm with ball joint, with rubber mounting Sheet Steel			1243	1244			Control Arm with ball joint, with rubber mounting Sheet Steel	46 454 596
46 454 597	Control Arm with ball joint, with rubber mounting Sheet Steel			1245	1246			Control Arm with ball joint, with rubber mounting Sheet Steel	46 454 598





PANDA (169)										-3,2015
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
50 703 296	Suspension Rod Steel Length: 315,0mm			5138	5138			Suspension Rod Steel Length: 315,0mm	50 703 296	
77 362 507	Thread Size: M12x1,5 Outer Thread: M10x1,25mm			3134	3135			Thread Size: M12x1,5 Outer Thread: M10x1,25mm	77 362 508	
50 703 128				1266	1267				50 703 129	
50 707 303	Control Arm Cast Steel			1268	1269			Control Arm Cast Steel	50 707 304	
77 362 506				6083	6083				77 362 506	
50 704 671	Coupling Rod			5139	5139			Coupling Rod	50 704 671	



FIAT

PANDA (169)

-3,2015



PANDA (312)

-12,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
50 700 464	Suspension Rod			5133	5133			Suspension Rod	50 700 464



PANDA / PANDA Van (141, 141A_)

03.1980 - 04.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
5 960 834				3143	3143				5 960 834
4 402 644				4024	4024				4 402 644
4 402 672	Control Arm Steel			1540	1540			Control Arm Steel	4 402 672



PUNTO (176, 176C, 176L)

04.1994 - 06.2000

OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 948 343	Length: 245 mm Thread Size: M14x1,5 Thread Measurement 1: M12x1,5			6071	6071			Length: 245 mm Thread Size: M14x1,5 Thread Measurement 1: M12x1,5	9 948 343
9 945 562				6072	6072				9 945 562
7 752 285	with right-handthread			3138	3138			with right-handthread	7 752 285
46 402 681	Control Arm Steel			1248	1247			Control Arm Steel	46 402 682



PUNTO (176, 176C, 176L)

04.1994 - 06.2000



PUNTO (188, 188AX)								-9,1999	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 948 343	Length: 245 mm Thread Size: M14x1,5 Thread Measurement 1: M12x1,5			6071	6071			Length: 245 mm Thread Size: M14x1,5 Thread Measurement 1: M12x1,5	9 948 343
7 752 285	with right-handthread			3138	3138			with right-handthread	7 752 285
46 545 660	Control Arm			1270	1271			Control Arm	46 545 661




PUNTO / PUNTO EVO / PUNTO GRANDE								-5,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
	Length: 269 mm Outer Thread: M14x1,5 mm Thread Size: M14x1,5			6004	6004			Length: 269 mm Outer Thread: M14x1,5 mm Thread Size: M14x1,5	
50 515 276	Suspension Rod Thread Size: M10x1,25 Steel			5010	5010			Suspension Rod Thread Size: M10x1,25 Steel	50 515 276
77 363 829	Suspended Thread Size: M10x1,5 Thread Measurement 1: M14x1,5			3014	3015			Suspended Thread Size: M10x1,5 Thread Measurement 1: M14x1,5	77 363 830
51 783 056	Control Arm			4002	4002			Control Arm	51 783 056
51 783 057	Control Arm Sheet Steel			1531	1532			Control Arm Sheet Steel	51 783 056
51 783 056	Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm			2000	2000			Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm	51 783 056
51 783 056	Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm			2001	2001			Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm	51 783 056



FIAT

PUNTO / PUNTO EVO / PUNTO GRANDE

-5,2015



QUBO (225)										-8,2015
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
51 704 008	Suspension Rod Length: 290 mm Thread Size: M10x1,25			5122	5122			Suspension Rod Length: 290 mm Thread Size: M10x1,25	51 704 008	
51 783 056				4002	4002				51 783 056	
51 783 057	Control Arm Sheet Steel			1531	1532			Control Arm Sheet Steel	51 783 056	
51 783 056	Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm			2000	2000			Outer Diameter: 73,7 mm Inner Diameter: 12,4 mm Length: 66 mm	51 783 056	
51 783 056	Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm			2001	2001			Outer Diameter: 42,3 mm Inner Diameter: 19 mm Length: 67,5 mm	51 783 056	



REGATA / REGATA Weekend (138)

09.1983 - 12.1990

2001



2001



REGATA / REGATA Weekend (138)

09.1983 - 12.1990

OEM	Info	F / R	Type			Type	F / R	Info	OEM
4 402 361	Control Arm without bush Thread Size: M12x1,5			1238	1238			Control Arm without bush Thread Size: M12x1,5	4 402 361



1238



1238

RITMO / RITMO I / RITMO II / RITMO Convertible

10.1979 - 07.1989

OEM	Info	F / R	Type			Type	F / R	Info	OEM
4 402 361	Control Arm without bush Thread Size: M12x1,5			1238	1238			Control Arm without bush Thread Size: M12x1,5	4 402 361



1238



1238

SCUDO (220, 220L, 220P)

02.1996 - 06.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 947 713	Length: 320 mm Outer Thread: M14x1,5 mm			6058	6058			Length: 320 mm Outer Thread: M14x1,5 mm	9 947 713
13 08 664 080	Suspension Rod Thread Size: M12x1,25 Length: 122 mm Steel			5118	5118			Suspension Rod Thread Size: M12x1,25 Length: 122 mm Steel	13 08 664 080
13 06 003 080	with right-hand thread Inner Thread: M14x1,5 mm with accessories			3517	3517			with right-hand thread Inner Thread: M14x1,5 mm with accessories	13 06 003 080
77 362 279	Length: 75 mm Cone Size: 15,45 mm Thread Measurement 1: M14x1,5 Thread Size 2: M10x1,25			3114	3114			Length: 75 mm Cone Size: 15,45 mm Thread Measurement 1: M14x1,5 Thread Size 2: M10x1,25	77 362 279
13 13 083 080	Control Arm with ball joint, with rubber mounting, with fastening material Steel			1216	1217			Control Arm with ball joint, with rubber mounting, with fastening material Steel	13 13 084 080



6058



6058

5118



5118

FIAT

SCUDO (220, 220L, 220P)

02.1996 - 06.2015



3517



3114



1216



3517



3114



1217

SCUDO (270_)								-7,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
14 01 381 280	Thread Measurement 1: M16x1,5 Thread Size 2: M14x1,5 Length: 282 mm			6055	6055			Thread Measurement 1: M16x1,5 Thread Size 2: M14x1,5 Length: 282 mm	14 01 381 280
14 00 099 680	Suspension Rod Thread Size: M12x1,75			5121	5121			Suspension Rod Thread Size: M12x1,75	14 00 099 680
94 03 817 738	Cone Size: 18 mm Thread Size: M14x1,5 Length: 80 mm			3115	3115			Cone Size: 18 mm Thread Size: M14x1,5 Length: 80 mm	94 03 817 738
1497 408 080	Control Arm Cast Steel Cone Size: 19 mm			1226	1227			Control Arm Cast Steel Cone Size: 19 mm	1497 407 080



6055



6055

5121



5121

3115



3115

1226



1227





SEDICI								-6,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
71 742 688				5140	5140				71 742 688



5140



5140

































SEICENTO (187)								01.1998 - 10.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
7 636 995	Control Arm Steel			1254	1253			Control Arm Steel	7 636 996



1254



1253

STILO / STILO Multi Wagon (192)								10.2001 - 10.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 949 217				6313	6313				9 949 217
50 700 464	Suspension Rod			5133	5133			Suspension Rod	50 700 464
9 949 218	Inner Thread: M12x1,5 mm with accessories			3139	3139			Inner Thread: M12x1,5 mm with accessories	9 949 218
50 705 463	Height: 55 mm			4066	4066			Height: 55 mm	50 705 463
50 700 797	Control Arm			1272	1273			Control Arm	50 700 779
50 705 464				1251	1252				50 705 465
50 705 083	Control Arm Cast Iron			1274	1275			Control Arm Cast Iron	50 705 084
51 705 704	Length: 116 mm Diameter [mm]: 8			5007	5006				



6313



6313

5133



5133

3139



3139

4066



4066

1272



1273

1251



1252

1274



1275



5007



5006

FIAT

STRADA (178E)								-9,1998	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
7 081 851	Length: 248 mm Outer Thread: M14x1,5 mm Thread Size: M14x1,5			6082	6082			Length: 248 mm Outer Thread: M14x1,5 mm Thread Size: M14x1,5	7 081 851
46 456 189	Suspended with accessories			3137	3136			Height: 68 mm Suspended with accessories	46 456 660
46 779 293	with accessories			4064	4064			with accessories	46 779 293
46 543 045				4067	4067				46 543 045
46 539 001				1258	1259				46 539 000



6082



6082



3137



3136



4064



4064



4067



4067



1258



1259



TALENTO (290)								03.1989 - 03.1994	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
97 50 079 980	Length: 80 mm Cone Size: 16 mm Inner Thread: M16x1,5 mm with right-hand thread Thread Size: M16x1,5			3103	3103			Length: 80 mm Cone Size: 16 mm Inner Thread: M16x1,5 mm with right-hand thread Thread Size: M16x1,5	97 50 079 980
7 576 732	Control Arm without ball joint, with rubber mounting only with: 11591 Steel			1201	1200			Control Arm without ball joint, with rubber mounting only with: 11591 Steel	7 576 731



3103



3103



1201



1200



TEMPRA (159)								03.1990 - 12.1998	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 939 675	Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 265 mm			6073	6073			Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 265 mm	9 939 675
60 570 627	Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel			5000	5000			Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel	60 570 627
60 809 495	for vehicles with power steering Inner Thread: M12x1,5 mm with right-hand thread Length: 130 mm Cone Size: 13 mm			3001	3000			for vehicles with power steering Inner Thread: M12x1,5 mm with right-hand thread Length: 130 mm Cone Size: 13 mm	60 809 494
46 423 822	Control Arm Cast Steel			1250	1249			Control Arm Cast Steel	46 423 823



6073



6073



5000



5000



3001



3000



1250



1249



TIPO (160)								07.1987 - 04.1995	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 939 675	Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 265 mm			6073	6073			Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 Length: 265 mm	9 939 675
60 570 627	Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel			5000	5000			Suspension Rod Thread Size: M10x1,25 Length: 114 mm Steel	60 570 627
60 809 495	for vehicles with power steering Inner Thread: M12x1,5 mm with right-hand thread Length: 130 mm Cone Size: 13 mm			3001	3000			for vehicles with power steering Inner Thread: M12x1,5 mm with right-hand thread Length: 130 mm Cone Size: 13 mm	60 809 494
46 407 372	Control Arm Cast Steel			1277	1276			Control Arm Cast Steel	46 407 373
46 423 822	Control Arm Cast Steel			1250	1249			Control Arm Cast Steel	46 423 823



6073



6073



FIAT

TIPO (160)

07.1987 - 04.1995



ULYSSE (179AX)					08.2002 - 11.2015				
OEM	Info	F / R	Type			Type	F / R	Info	OEM
77 362 280	Length: 299 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5			6054	6054			Length: 299 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5	77 362 280
13312 09080	Suspension Rod with accessories			5116	5116			Suspension Rod with accessories	13312 09080
77 362 279	Length: 75 mm Cone Size: 15,45 mm Thread Measurement 1: M14x1,5 Thread Size 2: M10x1,25			3114	3114			Length: 75 mm Cone Size: 15,45 mm Thread Measurement 1: M14x1,5 Thread Size 2: M10x1,25	77 362 279
94 03 817 738	Cone Size: 18 mm Thread Size: M14x1,5 Length: 80 mm			3115	3115			Cone Size: 18 mm Thread Size: M14x1,5 Length: 80 mm	94 03 817 738
13 46 384 080	Control Arm			1210	1211			Control Arm	13 46 385 080
1356 060 080	Control Arm Cast Steel Cone Size: 17 mm			1212	1213			Control Arm Cast Steel Cone Size: 17 mm	1356 061 080
1401 239 580	Control Arm Cast Steel			1214	1215			Control Arm Cast Steel	1401 239 480





1214



FIAT

ULYSSE (220)				06.1994 - 02.2015					
OEM	Info	F / R	Type			Type	F / R	Info	OEM
9 947 713	Length: 320 mm Outer Thread: M14x1,5 mm			6058	6058			Length: 320 mm Outer Thread: M14x1,5 mm	9 947 713
13 08 664 080	Suspension Rod Thread Size: M12x1,25 Length: 122 mm Steel			5118	5118			Suspension Rod Thread Size: M12x1,25 Length: 122 mm Steel	13 08 664 080
13 06 003 080	with right-hand thread Inner Thread: M14x1,5 mm with accessories			3517	3517			with right-hand thread Inner Thread: M14x1,5 mm with accessories	13 06 003 080
13 13 083 080	Control Arm with ball joint, with rubber mounting, with fastening material Steel			1216	1217			Control Arm with ball joint, with rubber mounting, with fastening material Steel	13 13 084 080



6058



6058

5118



5118

3517



3517

UNO (146A/E)				01.1983 - 06.2015					
--------------	--	--	--	-------------------	--	--	--	--	--

1216



1217

UNO (146A/E)				01.1983 - 06.2015					
--------------	--	--	--	-------------------	--	--	--	--	--

OEM	Info	F / R	Type			Type	F / R	Info	OEM
5 958 246	with right-hand thread Thread Size: M10x1			3046	3046			with right-hand thread Thread Size: M10x1	5 958 246
5 939 683	Control Arm with rubber mounting Sheet Steel			1261	1260			Control Arm with rubber mounting Sheet Steel	5 939 645



3046



3046

1261



1260