

KIA

CARENS I (FC)										-2,2015
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
OK2A232240	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 275 mm			6324	6324			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 275 mm	OK2A232240	
OK2N134170A				5234	5233				OK2N134150A	
OK201-32-280	Thread Size: M12x1,5 Inner Thread: M14x1,5 mm			3223	3223			Thread Size: M12x1,5 Inner Thread: M14x1,5 mm	OK201-32-280	
OK2A134150A				5232	5232				OK2A134150A	



CARENS II (FJ)										-2,2015
OK2FA34170				5236	5235				OK2FA34150	
54830-2G000				5237	5237				54830-2G000	
56820-2G000	Outer Thread: M10x1,25 mm Inner Thread: M16x1,5 mm Length: 204,1 mm			3526	3525			Outer Thread: M10x1,25 mm Inner Thread: M16x1,5 mm Length: 204,1 mm	56820-2G900	
OK201-32-280	Thread Size: M12x1,5 Inner Thread: M14x1,5 mm			3223	3223			Thread Size: M12x1,5 Inner Thread: M14x1,5 mm	OK201-32-280	
OK2A134150A				5232	5232				OK2A134150A	



CARENS III (UN)

-6,2015



5232



5232

CARENS III (UN)

-6,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
54830-2G000				5237	5237				54830-2G000
56820-2G000	Outer Thread: M10x1,25 mm Inner Thread: M16x1,5 mm Length: 204,1 mm			3526	3525			Outer Thread: M10x1,25 mm Inner Thread: M16x1,5 mm Length: 204,1 mm	56820-2G900
51760-0Q000				4089	4089				51760-0Q000



5237



5237

3526



3525

4089



4089

CARNIVAL (UP)

08.1999 - 01.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
0K552-32-240	Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 130 mm			3528	3527			Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 130 mm	0K552-32-280



3528



3527

CARNIVAL II (GQ)

-1,2

OEM	Info	F / R	Type			Type	F / R	Info	OEM
0K552-32-240	Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 130 mm			3528	3527			Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 130 mm	0K552-32-280



3528



3527

KIA

CEE'D (ED)										-6,2015
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
56540-2H000	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 161,7 mm			6115	6115			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 161,7 mm	56540-2H000	
54830-2H000				5202	5202				54830-2H000	
56820-2H000	Outer Thread: M10x1,25 mm Inner Thread: M14x1,5 mm Length: 229,6 mm			3196	3195			Outer Thread: M10x1,25 mm Inner Thread: M14x1,5 mm Length: 229,6 mm	56820-2H090	
51760-0Q000				4089	4089				51760-0Q000	
55530-1H000				5203	5203				55530-1H000	



CERATO (LD)										-4,2015
5203									5203	

CERATO (LD)										-4,2015
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
57724-2D000				6319	6319				57724-2D000	
54830-2F000				5468	5469				54840-2F000	
56820-25000	with right-hand thread Inner Thread: M14x1,5 mm Length: 73 mm			3193	3193			with right-hand thread Inner Thread: M14x1,5 mm Length: 73 mm	56820-25000	
54530-31600				4087	4087				54530-31600	
55530-17000	Suspension Rod			5199	5199			Suspension Rod	55530-17000	



CERATO (LD)

-4,2015

4087



4087



5199



5199



CLARUS (K9A, GC)

-7,1996

OEM	Info	F / R	Type			Type	F / R	Info	OEM
OK201-32-280	Thread Size: M12x1,5 Inner Thread: M14x1,5mm			3223	3223			Thread Size: M12x1,5 Inner Thread: M14x1,5mm	OK201-32-280

3223



3223



MAGENTIS (GD, MG)

-1,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
57724-38010	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 150 mm			6119	6119			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 150 mm	57724-38010
54830-38110	Suspension Rod			5218	5218			Suspension Rod	54830-38110
54830-2G000				5237	5237				54830-2G000
56820-38000	Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 170 mm			3208	3207			Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 170 mm	56820-38900
56820-2G000	Outer Thread: M10x1,25 mm Inner Thread: M16x1,5 mm Length: 204,1 mm			3526	3525			Outer Thread: M10x1,25 mm Inner Thread: M16x1,5 mm Length: 204,1 mm	56820-2G900
51760-0Q000				4089	4089				51760-0Q000
55530-38600	Suspension Rod Outer Thread: M10x1,25 mm Length: 194 mm			5217	5217			Suspension Rod Outer Thread: M10x1,25 mm Length: 194 mm	55530-38600

6119



6119



5218



5218



5237



5237



KIA

MAGENTIS (GD, MG) -1,2015



OPIRUS (GH)								-3,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
54830-38110	Suspension Rod			5218	5218			Suspension Rod	54830-38110
56820-38000	Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 170 mm			3208	3207			Outer Thread: M12x1,25 mm Inner Thread: M14x1,5 mm Length: 170 mm	56820-38900
54403-38A00				4090	4090				54403-38A00
55530-38600	Suspension Rod Outer Thread: M10x1,25 mm Length: 194 mm			5217	5217			Suspension Rod Outer Thread: M10x1,25 mm Length: 194 mm	55530-38600



PICANTO (BA)								-4,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
54830-07000				5240	5470				54840-07000
56820-07000	with right-hand thread			3529	3529			with right-hand thread	56820-07000
54530-07000				4093	4093				54530-07000



PICANTO (BA)

-4,2015

3529



3529



4093



4093



PRIDE (DA)

-1,199

OEM	Info	F / R	Type			Type	F / R	Info	OEM
KKY0134390A	Control Arm Sheet Steel			1349	1349			Control Arm Sheet Steel	KKY0134390A



1349



1349



PRO CEE'D (ED)

-8,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
51760-0Q000				4089	4089				51760-0Q000



4089



4089



RETONA (CE)

-6,1999

OEM	Info	F / R	Type			Type	F / R	Info	OEM
OK01132270A	Length: 323,6 mm			11083	11082			Length: 323,6 mm	OK01132290A
OK01132230	Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 144 mm			3531	3530			Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 144 mm	OK01132280
OK01132240A	Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 124 mm			3532	3533			Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 124 mm	OK01132250A



11083



11082



3531



3530



3532



3533

KIA

RIO (DC)								-5,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
KDX50-32-240A	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M12x1,25 mm Length: 260 mm			6325	6325			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M12x1,25 mm Length: 260 mm	KDX50-32-240A
OK33C34160A				5245	5244				OK33C34150A
54820-FD000				5471	5472				54830-FD000
56820-07000	with right-hand thread			3529	3529			with right-hand thread	56820-07000
OK30B34350B				1576	1350				OK30B34300B
54500-FD000				1353	1577				54501-FD000



RIO II (JB)								-5,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
57724-1G000				6128	6326				57724-1G100
54830-1G000				5197	5198				54840-1G000
54830-1E000				5195	5196				54840-1E000
56820-1G900	Outer Thread: M10x1,25 mm Inner Thread: M14x1,5 mm Length: 188,3 mm			3534	3234			Outer Thread: M10x1,25 mm Inner Thread: M14x1,5 mm Length: 188,3 mm	56820-1G000



RIO II (JB)

-5,2015



5195



5196



3534



3234

SEPHIA (FA)

01.1995 - 10.1997

OEM	Info	F / R	Type			Type	F / R	Info	OEM
OK201-32-280	Thread Size: M12x1,5 Inner Thread: M14x1,5mm			3223	3223			Thread Size: M12x1,5 Inner Thread: M14x1,5mm	OK201-32-280
OK-201-34-550E				4104	4104				OK-201-34-550E



3223



3223



4104



4104



SHUMA (FB)

10.1997 - 01.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
OK2A232240	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 275 mm			6324	6324			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 275 mm	OK2A232240
OK201-32-280	Thread Size: M12x1,5 Inner Thread: M14x1,5mm			3223	3223			Thread Size: M12x1,5 Inner Thread: M14x1,5mm	OK201-32-280
OK2A1-34-550A				4105	4105				OK2A1-34-550A
OK2A134150A				5232	5232				OK2A134150A



6324



6324



3223



3223



4105



4105



5232



5232



KIA

SHUMA II (FB)								05.2001 - 04.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
OK2A232240	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 275 mm			6324	6324			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 275 mm	OK2A232240
OK2N134170A				5234	5233				OK2N134150A
OK201-32-280	Thread Size: M12x1,5 Inner Thread: M14x1,5mm			3223	3223			Thread Size: M12x1,5 Inner Thread: M14x1,5mm	OK201-32-280
OK2A1-34-550A				4105	4105				OK2A1-34-550A



SORENTO (JC)								-2,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
57732-3E010	Outer Thread 1: M18x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 147 mm			6131	6327			Outer Thread 1: M18x1,5 getriebes. mm Outer Thread: M14x1,5 mm Length: 147 mm	57731-3E010
54811-3E010				5248	5247				54811-3E060
54810-3E000				5246	5246				54810-3E000
56820-3E000	Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 124 mm			3536	3535			Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 124 mm	56820-3E900
544103				1578	1354				544203
55580-3E000				5250	5249				55580-3E050



SORENTO (JC)

-2,2015

1578



1354



5250



5249



SORENTO (XM)

-9,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
54830-2B000				5209	5210				54840-2B000
				4235	4235				
				5211	5211				

5209



5210



4235



4235



5211



5211



SORENTO II (XM)

-9,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
57724-2P100				6328	6329				57724-2P100

6328



6329



SOUL (AM)

-9,2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
56540-2K000				6117	6117				56540-2K000
56820-2K000				3200	3201				56820-2K050

6117



6117



3200



3201



KIA





SPORTAGE (JE_) -4,2015									
OEM	Info	F / R	Type			Type	F / R	Info	OEM
57724-2E000	Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M16x1,5 mm Length: 215 mm			6120	6120			Outer Thread 1: M16x1,5 getriebes. mm Outer Thread: M16x1,5 mm Length: 215 mm	57724-2E000
54830-1F000				5223	5223				54830-1F000
56820-2E000	Outer Thread: M12x1,25 mm Inner Thread: M16x1,5 mm Length: 170 mm			3210	3209			Outer Thread: M12x1,25 mm Inner Thread: M16x1,5 mm Length: 170 mm	56820-2E900
51760-2E000				4098	4098				51760-2E000
55530-1F000				5224	5224				55530-1F000



SPORTAGE (K00) 04.1994 - 04.2015									
				5224					5224

SPORTAGE (K00) 04.1994 - 04.2015									
OEM	Info	F / R	Type			Type	F / R	Info	OEM
OK01132270A	Length: 323,6 mm			11083	11082			Length: 323,6 mm	OK01132290A
OK01132230	Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 144 mm			3531	3530			Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 144 mm	OK01132280
OK01132240A	Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 124 mm			3532	3533			Outer Thread: M12x1,25 mm Inner Thread: M18x1,5 mm Length: 124 mm	OK01132250A



VENGA (YN)								-10,2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
56540-2K000				6117	6117				56540-2K000
56820-2K000				3200	3201				56820-2K050



6117



6117

3200



3201