

SEAT

ALHAMBRA (710)							12.1899 - 10.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 J	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3033	3034			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 J
1K0 423 811 K	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3040	3041			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 K
3C0 407 365 A				4019	4020				3C0 407 366 A
				1494	1494				
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
	for control arm			2344	2344			for control arm	
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
3C0 505 541	for drag link Mounting Type: Rubber-metal Bearing			2345	2345			for drag link Mounting Type: Rubber-metal Bearing	3C0 505 541



6303



6303

5024



5024

3033



3034

3040



3041

4019



4020

1494



1494

2023



2023

2344



2344

ALHAMBRA (710)

12.1899 - 10.2015



ALHAMBRA (7V8, 7V9)

04.1996 - 10.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
7M3 422 803				6095	6095				7M3 422 803
7M0 422 803 F				11076	11077				7M0 422 804 F
7M0 411 317 C	Suspension Rod with accessories			5460	5460			Suspension Rod with accessories	7M0 411 317 C
7M0 422 817 A	with right-hand thread			3162	3163			with right-hand thread	7M0 422 818 A
7M0 407 365 A				4075	4075				7M0 407 365 A
7M0 407 151 B	Control Arm Cast Steel with rubber mounting only with: 16610 Order separately:			1299	1300			Control Arm Cast Steel with rubber mounting only with: 16610 Order separately:	7M0 407 152 B
7M0 407 181	for control arm			2175	2175			for control arm	7M0 407 181
7M0 501 541				2176	2176				7M0 501 541



SEAT

ALHAMBRA (7V8,7V9)

04.1996 - 10.2015

3162



4075



1299

2175



2176



3163



4075



1300

2175



2176



ALTEA / ALTEA XL (5P1, 5P5, 5P8)

12.1899 - 04.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 J	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3033	3034			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 J
1K0 407 365 B				4017	4018				1K0 407 366 B
1K0 407 151 AB				1044	1043				1K0 407 152 AA
1K0 407 151 AA	Control Arm Sheet Steel			1037	1038			Control Arm Sheet Steel	1K0 407 152 AA
1K0 407 151 AC				1039	1040				1K0 407 152 AC
1K0 501 529 F				1533	1534				1K0 501 530 C
1K0 199 231 G				2027	2028				1K0 199 232 G
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
1K0 505 171 C	for control arm			2024	2024			for control arm	1K0 505 171 C
1K0 505 203 A	for control arm			2025	2025			for control arm	1K0 505 203 A
1K0 505 279 A	for control arm			2026	2026			for control arm	1K0 505 279 A
1K0 505 541 B	for drag link			2015	2015			for drag link	1K0 505 541 B

6303



6303



5024



5024

3033



3034

4017



4018

1044



1043

1037



1038

1039



1040

1533



1534

2027



2028

2023



2023



5452



5452

1027



1027

2022



2022

SEAT

ALTEA / ALTEA XL (5P1, 5P5, 5P8)

12.1899 - 04.2015

2024



2024



2025



2025



2026



2026



2015



2015



AROSA (6H)							05.1997 - 04.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM	
6N0 422 803 D	Length: 264,5 mm Thread Size 2: M14x1,5 with accessories			6251	6251			Length: 264,5 mm Thread Size 2: M14x1,5 with accessories	6N0 422 803 D	
6N0 422 803 C	Thread Size 2: M14x1,5 with accessories			6252	6252			Thread Size 2: M14x1,5 with accessories	6N0 422 803 C	
6N0 422 804 A	Length: 290 mm Outer Thread: M14x1,5 mm			6253	6253			Length: 290 mm Outer Thread: M14x1,5 mm	6N0 422 804 A	
6X0 422 807	Length: 275 mm Pipe Ø: 14,4 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5			6254	6254			Length: 275 mm Pipe Ø: 14,4 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5	6X0 422 807	
6N0 419 803	with accessories			11150	11151			with accessories	6N0 419 804	
6X0 419 803	with accessories			11152	11153			with accessories	6X0 419 804	
6N0 422 803 A				11154	11155				6N0 422 804 A	
6X0 422 803	with accessories			11156	11157			with accessories	6X0 422 804	
6N0 422 803 C	with accessories			11158	11159			with accessories	6N0 422 804 C	
6N0 419 811	Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories			3425	3426			Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories	6N0 419 812	
6X0 422 811	Length: 94 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3427	3428			Length: 94 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6X0 422 812	
6E0 419 811	with accessories			3023	3024			with accessories	6E0 419 812	
6N0 407 365 A	with accessories			4191	4192			with accessories	6N0 407 365	
6N0 407 151	Control Arm without ball joint, with rubber mounting only with: 13791, 13790 Sheet Steel			1495	1495			Control Arm without ball joint, with rubber mounting only with: 13791, 13790 Sheet Steel	6N0 407 151	
6N0 407 151 A	Control Arm only with: 13790, 13791 with rubber mounting, without ball joint, without fastening material Sheet Steel			1496	1496			Control Arm only with: 13790, 13791 with rubber mounting, without ball joint, without fastening material Sheet Steel	6N0 407 151 A	
6N0 407 181	Mounting Type: Rubber-metal Bearing			2346	2346			Mounting Type: Rubber-metal Bearing	6N0 407 181	
6N0 407 182	Mounting Type: Rubber-metal Bearing			2347	2347			Mounting Type: Rubber-metal Bearing	6N0 407 182	



6251



6251

SEAT



SEAT

2346



2347



2346



2347



CORDOBA (6K1, 6K2)								02.1993 - 10.1999	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
191 419 803	Manufacturer Restriction:ZF Length: 324 mm Thread Size: M22x1,5 with right-hand thread for OE No.: 025 390 049 617 LH Axle Vers.:ZF			6255	6255			Manufacturer Restriction:ZF Length: 324 mm Thread Size: M22x1,5 with right-hand thread for OE No.: 025 390 049 617 LH Axle Vers.:ZF	191 419 803
191 422 803 A	with right-hand thread Thread Measurement 1:M12x1,5 Thread Size 2:M14x1,5 Length: 315 mm Manufacturer Restriction: TRW			6256	6256			with right-hand thread Thread Measurement 1:M12x1,5 Thread Size 2:M14x1,5 Length: 315 mm Manufacturer Restriction: TRW	191 422 803 A
6K0 422 803	Length: 298 mm Thread Measurement 1:M14x1,5 Thread Size 2:M14x1,5			6257	6257			Length: 298 mm Thread Measurement 1:M14x1,5 Thread Size 2:M14x1,5	6K0 422 803
6K0 422 803 E	Length: 298 mm Thread Size:M14x1,5			6258	6258			Length: 298 mm Thread Size:M14x1,5	6K0 422 803 E
191 422 804	Suspended Manufacturer Restriction: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)			11161	11161			Suspended Manufacturer Restriction: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)	191 422 804
191 419 803	with accessories			11160	11163			with accessories	191 419 804
191 422 803	Suspended Manufacturer Restriction:TRW Pipe Ø: 14 mm Axle Vers.: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)			11162	11162			Suspended Manufacturer Restriction:TRW Pipe Ø: 14 mm Axle Vers.: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)	191 422 803
6K0 422 803 A				11164	11165				6K0 422 804 A
6K0 422 803 B				11166	11167				6K0 422 804 B
6K0 422 803				11168	11169				6K0 422 804
				5412	5412				
191 419 811	Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5mm with right-hand thread with accessories Thread Size:M14x1,5			3430	3429			Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5mm with right-hand thread with accessories Thread Size:M14x1,5	191 419 812
					3431			with accessories	1J0 422 812 E
1J0 422 811E	with right-hand thread with accessories			3432					
191 407 151 B	Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel			1497	1497			Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel	191 407 151 B
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
191 407 181 D	for control arm			2348	2348			for control arm	191 407 181 D



6255



6255

SEAT

6256



6256



6257



6257



6258



6258



11161



11161



11160



11163



11162



11162



11164



11165



11166



11167



11168



11169



5412



5412



3430



3429



3432



3431



1497



1497



SEAT

CORDOBA (6K1, 6K2)

02.1993 - 10.1999

2013



2348



2013



2348



CORDOBA (6K2, 6K5)						06.1999 - 02.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6K0 422 803 E	Length: 298 mm Thread Size: M14x1,5			6258	6258			Length: 298 mm Thread Size: M14x1,5	6K0 422 803 E
6K0 422 803	Length: 298 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5			6257	6257			Length: 298 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5	6K0 422 803
6K0 422 803 B				11166	11167				6K0 422 804 B
6K0 422 803 F				11170	11171				6K0 422 804 F
191 419 803	with accessories			11160	11163			with accessories	191 419 804
6K0 422 803 A				11164	11165				6K0 422 804 A
191 419 811	Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5			3430	3429			Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5	191 419 812
					3431			with accessories	1J0 422 812 E
					3431			with accessories	1J0 422 812 E
					3431			with accessories	1J0 422 812 E
1J0 422 811 E	with right-hand thread with accessories			3432					
6K0 422 811	Length: 94 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 with accessories			3433	3434			Length: 94 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 with accessories	6K0 422 812
1J0 422 811 E	with right-hand thread with accessories			3432					
1J0 422 811 E	with right-hand thread with accessories			3432					
6E0 419 811	with accessories			3023	3024			with accessories	6E0 419 812
191 407 151 B	Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel			1497	1497			Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel	191 407 151 B
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182



6258



6257



11166



6258



6257



11167

SEAT

11170



11171



11160



11163



11164



11165



3430



3429



3431



3431



3431



3432



3433



3434



3432



3432



3023



3024



1497



1497



2013



2013



SEAT

CORDOBA (6L2)							09.2002 - 09.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6Q0 423 803 A	for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5			6259	6259			for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5	6Q0 423 803 A
6Q0 423 803 E	for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories			6260	6260			for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories	6Q0 423 803 E
6Q0 423 803 E	for steering gear ID: TRW Electric-hydraulic with accessories			11172	11173			for steering gear ID: TRW Electric-hydraulic with accessories	6Q0 423 804 E
6Q0 423 803 C	for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories			11174	11175			for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories	6Q0 423 804 C
6Q0 411 315 A	Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10			5019	5019			Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10	6Q0 411 315 A
6Q0 419 811 C	Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3435	3436			Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6Q0 419 812 C
6R0 407 151				1499	1500				6R0 407 152
6Q0 407 151 D	with rubber mounting Sheet Steel Control Arm			1498	1498			with rubber mounting Sheet Steel Control Arm	6Q0 407 151 D
6Q0 407 182 A	for control arm			2349	2349			for control arm	6Q0 407 182 A
6Q0 407 183	for control arm			2350	2350			for control arm	6Q0 407 183
1K0 407 183 E	for control arm Replace in pair only:			2351	2351			for control arm Replace in pair only:	1K0 407 183 E



6259



6259

6260



6260

11172



11173



11174



11175



5019



5019



3435



3436



1499



1500



SEAT

CORDOBA (6L2)

09.2002 - 09.2015



EXEO (3R2, 3R5)						12.1899 - 08.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
8E0 422 821 C	Thread Size: M14x1,5 with right-hand thread			6013	6013			Thread Size: M14x1,5 with right-hand thread	8E0 422 821 C
8E0 411 317				5027	5028				8E0 411 318
4F0 419 811 D	Outer Thread: M14x1,5 mm with right-hand thread			3036	3036			Outer Thread: M14x1,5 mm with right-hand thread	4F0 419 811 D
8E0 407 509 P	Control Arm with rubber mounting			1054	1053			Control Arm with rubber mounting	8E0 407 510 P
8E0 407 505 P	Control Arm with rubber mounting			1056	1055			Control Arm with rubber mounting	8E0 407 506 P
8E0 407 693 AL	Control Arm with rubber mounting Length: 385 mm			1064	1065			Control Arm with rubber mounting Length: 385 mm Thread Size: M12x1,5	8E0 407 694 AL
8E0 407 151 R	Control Arm with rubber mounting Aluminium			1058	1058			Control Arm with rubber mounting Aluminium	8E0 407 151 R
4D0 407 182 G	for control arm			2030	2030			for control arm	4D0 407 182 G
8E0 407 181 C	Mounting Type: Rubber-metal Bearing for control arm Outer Diameter: 37 mm Inner Diameter: 30 mm Height: 40,4 mm			2038	2038			Mounting Type: Rubber-metal Bearing for control arm Outer Diameter: 37 mm Inner Diameter: 30 mm Height: 40,4 mm	8E0 407 181 C
8E0 505 203 D	for control arm			2043	2043			for control arm	8E0 505 203 D
8E0 505 465 AF				5029	5029				8E0 505 465 AF
8E0 501 529 P	Control Arm			1059	1059			Control Arm	8E0 501 529 P
8E0 501 541 S	Mounting Type: Rubber-metal Bearing for control arm			2042	2042			Mounting Type: Rubber-metal Bearing for control arm	8E0 501 541 S



6013



6013



5027



5028



3036



3036



1054



1053



1056



1055



1064



1065



1058



1058



2030



2030



2038



2038



2043



2043



5029



5029



1059



1059



FURA (025A)

01.1982 - 12.1986

2042



2042



FURA (025A)

01.1982 - 12.1986

OEM	Info	F / R	Type			Type	F / R	Info	OEM
5 958 246	with right-hand thread Thread Size: M10x1			3046	3046			with right-hand thread Thread Size: M10x1	5 958 246
7 558 962	Control Arm without bush Thread Size: M12x1,5			1238	1238			Control Arm without bush Thread Size: M12x1,5	7 558 962



3046



3046



1238



1238



GOLF III (1H1, 1H5)

08.1991 - 07.1998

OEM	Info	F / R	Type			Type	F / R	Info	OEM
1H0 422 803 B	Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)			6261	6261			Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)	1H0 422 803 B



6261



6261



GOLF III Cabriolet / GOLF IV Cabriolet (1E7)

07.1993 - 05.1998

OEM	Info	F / R	Type			Type	F / R	Info	OEM
1H0 422 803 B	Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)			6261	6261			Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)	1H0 422 803 B



6261



6261



SEAT

IBIZA I (021A)								06.1984 - 12.1993	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
7 558 962	Control Arm without bush Thread Size: M12x1,5			1238	1238			Control Arm without bush Thread Size: M12x1,5	7 558 962

IBIZA II (6K1)								03.1993 - 08.1999	
----------------	--	--	--	--	--	--	--	-------------------	--



1238



1238

IBIZA II (6K1)								03.1993 - 08.1999	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
191 419 803	Manufacturer Restriction:ZF Length: 324 mm Thread Size: M22x1,5 with right-hand thread for OE No.: 025 390 049 617 LH Axle Vers.:ZF			6255	6255			Manufacturer Restriction:ZF Length: 324 mm Thread Size: M22x1,5 with right-hand thread for OE No.: 025 390 049 617 LH Axle Vers.:ZF	191 419 803
191 422 803 A	with right-hand thread Thread Measurement 1:M12x1,5 Thread Size 2: M14x1,5 Length: 315 mm Manufacturer Restriction: TRW			6256	6256			with right-hand thread Thread Measurement 1:M12x1,5 Thread Size 2: M14x1,5 Length: 315 mm Manufacturer Restriction: TRW	191 422 803 A
6K0 422 803	Length: 298 mm Thread Measurement 1:M14x1,5 Thread Size 2: M14x1,5			6257	6257			Length: 298 mm Thread Measurement 1:M14x1,5 Thread Size 2: M14x1,5	6K0 422 803
6K0 422 803 E	Length: 298 mm Thread Size: M14x1,5			6258	6258			Length: 298 mm Thread Size: M14x1,5	6K0 422 803 E
191 422 804	Suspended Manufacturer Restriction: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)			11161	11161			Suspended Manufacturer Restriction: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)	191 422 804
191 419 803	with accessories			11160	11163			with accessories	191 419 804
191 422 803	Suspended Manufacturer Restriction: TRW Pipe Ø: 14 mm Axle Vers.: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)			11162	11162			Suspended Manufacturer Restriction: TRW Pipe Ø: 14 mm Axle Vers.: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)	191 422 803
6K0 422 803 A				11164	11165				6K0 422 804 A
6K0 422 803 B				11166	11167				6K0 422 804 B
6K0 422 803				11168	11169				6K0 422 804
				5412	5412				
191 419 811	Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5			3430	3429			Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5	191 419 812
					3431			with accessories	1J0 422 812 E
1J0 422 811 E	with right-hand thread with accessories			3432					
191 407 151 B	Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel			1497	1497			Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel	191 407 151 B
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
191 407 181 D	for control arm			2348	2348			for control arm	191 407 181 D



6255



6255

SEAT

6256



6256



6257



6257



6258



6258



11161



11161



11160



11163



11162



11162



11164



11165



11166



11167



11168



11169



5412



5412



3430



3429



3432



3431



1497



1497



IBIZA II (6K1)
03.1993 - 08.1999
2013

2348

2013

2348

IBIZA III (6K1)
08.1999 - 02.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
6K0 422 803 E	Length: 298 mm Thread Size: M14x1,5			6258	6258			Length: 298 mm Thread Size: M14x1,5	6K0 422 803 E
191 419 803	with accessories			11160	11163			with accessories	191 419 804
6K0 422 803 B				11166	11167				6K0 422 804 B
6K0 422 803 F				11170	11171				6K0 422 804 F
191 419 811	Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5			3430	3429			Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5	191 419 812
					3431			with accessories	1J0 422 812 E
1J0 422 811 E	with right-hand thread with accessories			3432					
6K0 422 811	Length: 94 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 with accessories			3433	3434			Length: 94 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5 with accessories	6K0 422 812
6E0 419 811	with accessories			3023	3024			with accessories	6E0 419 812
191 407 151 B	Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel			1497	1497			Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel	191 407 151 B
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182

IBIZA III (6K1)
08.1999 - 02.2015
6258

6258

11160

11163

11166

11167

11170

11171


IBIZA III (6K1)

08.1999 - 02.2015



IBIZA IV (6L1)

02.2002 - 09.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
6Q0 423 803 A	for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5			6259	6259			for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5	6Q0 423 803 A
6Q0 423 803 E	for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories			6260	6260			for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories	6Q0 423 803 E
6Q0 423 803 E	for steering gear ID: TRW Electric-hydraulic with accessories			11172	11173			for steering gear ID: TRW Electric-hydraulic with accessories	6Q0 423 804 E
6Q0 423 803 C	for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories			11174	11175			for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories	6Q0 423 804 C
6Q0 411 315 A	Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10			5019	5019			Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10	6Q0 411 315 A
6Q0 419 811 C	Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3435	3436			Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6Q0 419 812 C
6R0 407 365				4014	4015				6R0 407 366
6R0 407 151				1499	1500				6R0 407 152
6Q0 407 151 D	with rubber mounting Sheet Steel Control Arm			1498	1498			with rubber mounting Sheet Steel Control Arm	6Q0 407 151 D
6Q0 407 182 A	for control arm			2349	2349			for control arm	6Q0 407 182 A
6Q0 407 183	for control arm			2350	2350			for control arm	6Q0 407 183
1K0 407 183 E	for control arm Replace in pair only:			2351	2351			for control arm Replace in pair only:	1K0 407 183 E



6259



6259

6260



6260

SEAT

11172



11174



5019



3435



4014



1499



1498



2349



2350



2351



11173



11175



5019



3436



4015



1500



1498



2349



2350



2351



IBIZA V (6J5, 6J1, 6J8)							12.1899 - 08.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6R0 423 803 C	for vehicles with electro-hydraulic steering			6005	6005			for vehicles with electro-hydraulic steering	6R0 423 803 C
6R0 423 803 A				11007	11008				6R0 423 804 A
6Q0 411 315 A	Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10			5019	5019			Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10	6Q0 411 315 A
6Q0 419 811 C	Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3435	3436			Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6Q0 419 812 C
6R0 407 365				4014	4015				6R0 407 366
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
1J0 407 181	for control arm			2014	2014			for control arm	1J0 407 181



6005



6005



11007



11008



5019



5019



3435



3436



4014



4015



2013



2013



2014



2014



SEAT

INCA (6K9)							11.1995 - 03.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6K0 422 803	Length: 298 mm Thread Measurement 1:M14x1,5 Thread Size 2:M14x1,5			6257	6257			Length: 298 mm Thread Measurement 1:M14x1,5 Thread Size 2:M14x1,5	6K0 422 803
6K0 422 803 A				11164	11165				6K0 422 804 A
				3431				with accessories	1J0 422 812 E
1J0 422 811 E	with right-hand thread with accessories			3432					
6K0 422 811	Length: 94 mm Thread Measurement 1:M14x1,5 Thread Size 2:M12x1,5 with accessories			3433	3434			Length: 94 mm Thread Measurement 1:M14x1,5 Thread Size 2:M12x1,5 with accessories	6K0 422 812
191 407 151 B	Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel			1497	1497			Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel	191 407 151 B
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
191 407 181 D	for control arm			2348	2348			for control arm	191 407 181 D



6257



6257

11164



11165



3431



3432



3433



3434



1497



1497



2013



2013



2348



2348



LEON (1M1)					11.1999 - 06.2015				
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1J0 422 803 B				6009	6009				1J0 422 803 B
8N0 422 807 D	for vehicles with sports suspension Rim Size: 18 Inch			6306	6306			for vehicles with sports suspension Rim Size: 18 Inch	8N0 422 807 D
1J0 422 803 B				11017	11018				1J0 422 804 B
8N0 422 803 D	for vehicles with sports suspension Rim Size: 18 Inch with accessories			11026	11027			for vehicles with sports suspension Rim Size: 18 Inch	8N0 422 804 D
1J0 422 803 E				11176	11177				1J0 422 804 E
1J0 411 315 D	Suspension Rod			5022	5023			Suspension Rod Length: 338 mm Diameter [mm]:10	1J0 411 316 D
1J0 422 811 B	Suspended Inner Thread: M14x1,5 mm with right-hand thread			3032	3031			Suspended Inner Thread: M14x1,5 mm with right-hand thread	1J0 422 812 B
8N0 422 811 A	Inner Thread: M16x1,5 mm with right-hand thread			3504	3030			Inner Thread: M16x1,5 mm with right-hand thread	8N0 422 812 A
8N0 407 365 A	Cone Size: 20,24 mm with fastening material			4016	4016			Cone Size: 20,24 mm with fastening material	8N0 407 365 A
1J0 407 151 A				1036	1036				1J0 407 151 A
191 407 182	for control arm Mounting Type:Rubber-metal Bearing			2013	2013			for control arm Mounting Type:Rubber-metal Bearing	191 407 182
1J0 407 181	for control arm			2014	2014			for control arm	1J0 407 181
1J0 407 181 SP	for control arm			2021	2021			for control arm	1J0 407 181 SP



6009



6009



6306



6306



11017



11018



11026



11027



11176



5022



5023



3032



3031



SEAT

LEON (1M1)

11.1999 - 06.2015



LEON (1P1)					12.1899 - 05.2015				
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 J	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3033	3034			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 J
1K0 407 365 B				4017	4018				1K0 407 366 B
3C0 407 365 A				4019	4020				3C0 407 366 A
1K0 501 529 F				1533	1534				1K0 501 530 C
1K0 199 231 G				2027	2028				1K0 199 232 G
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
1K0 505 171 C	for control arm			2024	2024			for control arm	1K0 505 171 C
1K0 505 203 A	for control arm			2025	2025			for control arm	1K0 505 203 A
1K0 505 279 A	for control arm			2026	2026			for control arm	1K0 505 279 A
1K0 505 541 B	for drag link			2015	2015			for drag link	1K0 505 541 B



6303



6303

5024



5024

3033



3034



4017



4018



4019



4020



1533



1534



2027



2028



2023



2023



5452



5452



1027



1027



2022



2022



2024



2024



2025



2025



2026



2026



SEAT

MARBELLA (28, 028A)	08.1986 - 10.1998
---------------------	-------------------

2015



2015



MARBELLA (28, 028A)						08.1986 - 10.1998			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
5 960 834				3143	3143				5 960 834
4 402 644				4024	4024				4 402 644
4 402 672	Control Arm Steel			1540	1540			Control Arm Steel	4 402 672



3143

3143

4024



4024



1540



1540



Mii (KF1_)						12.1899 - 11.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1S0 423 811 A				3437	3438				1S0 423 812 A
6R0 407 365				4014	4015				6R0 407 366
191 407 182	for control arm Mounting Type:Rubber-metal Bearing			2013	2013			for control arm Mounting Type:Rubber-metal Bearing	191 407 182
1J0 407 181	for control arm			2014	2014			for control arm	1J0 407 181



3437



3438



4014



4015



2013



2013



2014



2014



SEAT

RONDA (022A)								06.1982 - 11.1988	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
7 558 962	Control Arm without bush Thread Size: M12x1,5			1238	1238			Control Arm without bush Thread Size: M12x1,5	7 558 962



1238



1238

TERRA (24, 024A)								01.1987 - 12.1996	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
4 402 644				4024	4024				4 402 644
4 402 672	Control Arm Steel			1540	1540			Control Arm Steel	4 402 672



4024



4024



1540



1540

TOLEDO I (1L)								01.1991 - 10.1999	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1H0 422 803 B	Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)			6261	6261			Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)	1H0 422 803 B
6K0 422 803	Length: 298 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5			6257	6257			Length: 298 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5	6K0 422 803
191 422 804	Suspended Manufacturer Restriction: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)			11161	11161			Suspended Manufacturer Restriction: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)	191 422 804
191 419 803	with accessories			11160	11163			with accessories	191 419 804
191 422 803	Suspended Manufacturer Restriction: TRW Pipe Ø: 14 mm Axle Vers.: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)			11162	11162			Suspended Manufacturer Restriction: TRW Pipe Ø: 14 mm Axle Vers.: TRW Tube diameter at bellows seating 12,7 mm (TRW-steering)	191 422 803
1H0 422 803 A	for steering gear ID: TRW Cone Size: 14 mm only with: 299 000 029 617 Length: 390 mm Pipe Ø: 15 mm Tube diameter at bellows seating 12,7 mm (TRW-steering)			11178					
1H0 422 803 B	Length: 427 mm Cone Size: 14 mm Pipe Ø: 13 mm only with: 30126 01, 299 217 163 617 Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)			11179	11180			Manufacturer Restriction: ZF Length: 427 mm Cone Size: 14 mm Pipe Ø: 13 mm Tube diameter at bellows seating 15 mm (ZF-steering)	1H0 422 804 B
6K0 422 803 A				11164	11165				6K0 422 804 A
6K0 422 803				11168	11169				6K0 422 804
535 411 315	Suspension Rod with accessories			5413	5413			Suspension Rod with accessories	535 411 315
				5412	5412				

SEAT

191 419 811	Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5			3430	3429			Suspended Length: 74 mm Cone Size: 14 mm Inner Thread: M14x1,5 mm with right-hand thread with accessories Thread Size: M14x1,5	191 419 812
1J0 422 811 E	with right-hand thread with accessories			3432	3431			with accessories	1J0 422 812 E
1H0 407 365	Thread Size: M12x1,5 with right-hand thread			4193	4193			Thread Size: M12x1,5 with right-hand thread	1H0 407 365
191 407 151 B	Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel			1497	1497			Control Arm without ball joint, with rubber mounting only with: 10169, 10161 Sheet Steel	191 407 151 B
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
191 407 181 D	for control arm			2348	2348			for control arm	191 407 181 D



6261



6261



6257



6257



11161



11161



11160



11163



11162



11162



11178



11179



11180



SEAT

SEAT

TOLEDO I (1L) 01.1991 - 10.1999



TOLEDO I (1L) 01.1991 - 10.1999



TOLEDO II (1M2)								04.1999 - 06.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1J0 422 803 B				6009	6009				1J0 422 803 B
1J0 422 803 B				11017	11018				1J0 422 804 B
1J0 422 811 B	Suspended Inner Thread: M14x1,5 mm with right-hand thread			3032	3031			Suspended Inner Thread: M14x1,5 mm with right-hand thread	1J0 422 812 B
1J0 407 151 A				1036	1036				1J0 407 151 A
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
1J0 407 181	for control arm			2014	2014			for control arm	1J0 407 181
1J0 407 181 SP	for control arm			2021	2021			for control arm	1J0 407 181 SP



6009



11017



3032



1036



2013



2014



2021



6009



11018



3031



1036



2013



2014



2021



SEAT

TOLEDO III (5P2)								04.2004 - 09.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 J	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3033	3034			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 J
1K0 407 365 B				4017	4018				1K0 407 366 B
1K0 407 151 AB				1044	1043				1K0 407 152 AA
1K0 501 529 F				1533	1534				1K0 501 530 C
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
1K0 505 171 C	for control arm			2024	2024			for control arm	1K0 505 171 C
1K0 505 203 A	for control arm			2025	2025			for control arm	1K0 505 203 A
1K0 505 279 A	for control arm			2026	2026			for control arm	1K0 505 279 A
1K0 505 541 B	for drag link			2015	2015			for drag link	1K0 505 541 B



6303



5024



3033



4017



1044



1533



2023



5452



6303



5024



3034



4018



1043



1534




2023



5452

TOLEDO III (5P2)

04.2004 - 09.2015



VENTO (1H2)								11.1991 - 09.1998	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1H0 422 803 B	Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)			6261	6261			Length: 341 mm Thread Size: M14x1,5 with right-hand thread for OE No.: 025 390 111 617 LH Manufacturer Restriction: ZF Tube diameter at bellows seating 15 mm (ZF-steering)	1H0 422 803 B



SEAT

CITIGO12.1899 - 11.2015									
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1S0 423 811 A				3437	3438				1S0 423 812 A
6R0 407 365				4014	4015				6R0 407 366
191 407 182	for control arm Mounting Type:Rubber-metal Bearing			2013	2013			for controlarm Mounting Type:Rubber-metal Bearing	191 407 182
1J0 407 181	for control arm			2014	2014			for controlarm	1J0 407 181



3437



4014



2013



2014



3438



4015



2013



2014

FABIA				12.1899 - 06.2015					
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6Q0 423 803 E	for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories			6260	6260			for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories	6Q0 423 803 E
6Q0 423 803 A	for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5			6259	6259			for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5	6Q0 423 803 A
6Q0 419 803 B	Length: 285,5 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5 with accessories			6262	6262			Length: 285,5 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5 with accessories	6Q0 419 803 B
6Q0 423 803 E	for steering gear ID: TRW Electric-hydraulic with accessories			11172	11173			for steering gear ID: TRW Electric-hydraulic with accessories	6Q0 423 804 E
6Q0 419 803 B	with accessories			11181	11182			with accessories	6Q0 419 804 B
6Q0 423 803 C	for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories			11174	11175			for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories	6Q0 423 804 C
6Q0 411 315 A	Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10			5019	5019			Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10	6Q0 411 315 A
6Q0 419 811 C	Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3435	3436			Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6Q0 419 812 C
6R0 407 365				4014	4015				6R0 407 366
6R0 407 151				1499	1500				6R0 407 152
6Q0 407 151 D	with rubber mounting Sheet Steel Control Arm			1498	1498			with rubber mounting Sheet Steel Control Arm	6Q0 407 151 D
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
1J0 407 181	for control arm			2014	2014			for control arm	1J0 407 181
6Q0 407 182 A	for control arm			2349	2349			for control arm	6Q0 407 182 A
6Q0 407 183	for control arm			2350	2350			for control arm	6Q0 407 183
1K0 407 183 E	for control arm Replace in pairs only:			2351	2351			for control arm Replace in pairs only:	1K0 407 183 E



6260



6260



6259



6259



6262



6262



11172



11173



SKODA

11181



11174



5019



3435



4014



1499



1498



2013



2014



2349



2350



2351



11182



11175



5019



3436



4015



1500



1498



2013



2014



2349



2350



2351



FABIA (6Y2, 6Y3, 6Y5)								08.1999 - 08.2015	
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6Q0 423 803 A	for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5			6259	6259			for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5	6Q0 423 803 A
6Q0 419 803 B	Length: 285,5 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5 with accessories			6262	6262			Length: 285,5 mm Thread Measurement 1: M14x1,5 Thread Size 2: M14x1,5 with accessories	6Q0 419 803 B
6Q0 423 803 E	for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories			6260	6260			for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories	6Q0 423 803 E
6Q0 419 803 B	with accessories			11181	11182			with accessories	6Q0 419 804 B
6Q0 423 803 E	for steering gear ID: TRW Electric-hydraulic with accessories			11172	11173			for steering gear ID: TRW Electric-hydraulic with accessories	6Q0 423 804 E
6Q0 423 803 C	for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories			11174	11175			for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories	6Q0 423 804 C
6Q0 411 315 A	Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10			5019	5019			Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10	6Q0 411 315 A
6Q0 419 811 C	Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3435	3436			Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6Q0 419 812 C
6Q0 407 151 D	with rubber mounting Sheet Steel Control Arm			1498	1498			with rubber mounting Sheet Steel Control Arm	6Q0 407 151 D
6Q0 407 182 A	for control arm			2349	2349			for control arm	6Q0 407 182 A
6Q0 407 183	for control arm			2350	2350			for control arm	6Q0 407 183
1K0 407 183 E	for control arm Replace in pairs only:			2351	2351			for control arm Replace in pairs only:	1K0 407 183 E



6259



6259

6262



6262

6260



6260

11181



11182

11172



11173

11174




11175



FABIA (6Y2, 6Y3, 6Y5)

08.1999 - 08.2015



FAVORIT (781, 785, 787)05.1989 - 09.1994									
OEM	Info	F / R	Type			Type	F / R	Info	OEM
115 500 440	Length: 80 mm Inner Thread: M12x1 mm with right-hand thread			3439	3439			Length: 80 mm Inner Thread: M12x1 mm with right-hand thread	115 500 440
115 420 240	Thickness/Strength: 17 mm with accessories			4194	4194			Thickness/Strength: 17 mm with accessories	115 420 240



FELICIA I / FELICIA II10.1994 - 03.1998									
OEM	Info	F / R	Type			Type	F / R	Info	OEM
007 350 285 N	Length: 305 mm Outer Thread: M12x1 mm			6263	6263			Length: 305 mm Outer Thread: M12x1 mm	007 350 285 N
115 500 440	Length: 80 mm Inner Thread: M12x1 mm with right-hand thread			3439	3439			Length: 80 mm Inner Thread: M12x1 mm with right-hand thread	115 500 440
115 420 240	Thickness/Strength: 17 mm with accessories			4194	4194			Thickness/Strength: 17 mm with accessories	115 420 240



SKODA

FELICIA I / FELICIA II

10.1994 - 03.1998

3439



3439



4194



4194



OCTAVIA (1U2, 1U5)						09.1996 - 10.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1J0 422 803 B				6009	6009				1J0 422 803 B
1J0 422 803 A	Length: 318 mm for OE No.: 025 390 142 617 LH			6010	6010			Length: 318 mm for OE No.: 025 390 142 617 LH	1J0 422 803 A
1J0 422 803	with accessories			11013	11014			with accessories	1J0 422 804
1J0 422 803 B				11017	11018				1J0 422 804 B
1J0 411 315 D	Suspension Rod			5022	5023			Suspension Rod Length: 338 mm Diameter [mm]: 10	1J0 411 316 D
1J0 422 811 B	Suspended Inner Thread: M14x1,5 mm with right-hand thread			3032	3031			Suspended Inner Thread: M14x1,5 mm with right-hand thread	1J0 422 812 B
1J0 422 811	Inner Thread: M14x1,5 mm with right-hand thread with accessories			3502	3503			Inner Thread: M14x1,5 mm with right-hand thread with accessories	1J0 422 812
1J0 407 151 A				1036	1036				1J0 407 151 A
1J0 407 181	for control arm			2014	2014			for control arm	1J0 407 181
1J0 407 181 SP	for control arm			2021	2021			for control arm	1J0 407 181 SP
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182



6009



6009



6010



6010



11013



11014



11017



11018



5022



5023



3032



3031



SKODA

OCTAVIA (1U2, 1U5)

09.1996 - 10.2015

3502



1036



2014



2021



2013



3503



1036



2014



2021



2013



OCTAVIA (1Z3, 1Z5)

12.1899 - 04.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 K	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3040	3041			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 K
1K0 407 365 B				4017	4018				1K0 407 366 B
1K0 407 151 AB				1044	1043				1K0 407 152 AA
1K0 407 151 AA	Control Arm Sheet Steel			1037	1038			Control Arm Sheet Steel	1K0 407 152 AA
1K0 407 151 AC				1039	1040				1K0 407 152 AC
1K0 501 529 F				1533	1534				1K0 501 530 C
1K0 199 231 G				2027	2028				1K0 199 232 G
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
1K0 505 171 C	for control arm			2024	2024			for control arm	1K0 505 171 C
1K0 505 203 A	for control arm			2025	2025			for control arm	1K0 505 203 A
1K0 505 279 A	for control arm			2026	2026			for control arm	1K0 505 279 A
1K0 505 541 B	for drag link			2015	2015			for drag link	1K0 505 541 B



6303



6303

SKODA

OCTAVIA (1Z3, 1Z5)

12.1899 - 04.2015

5024



5024

3040



3041

4017



4018

1044



1043

1037



1038

1039



1040

1533



1534

2027



2028

2023



2023



5452



5452

1027



1027

2022



2022

SKODA

OCTAVIA (1Z3, 1Z5)

12.1899 - 04.2015

2024



2025



2026



2015



2024



2025



2026



2015



ROOMSTER (5J)					12.1899 - 06.2015				
OEM	Info	F / R	Type			Type	F / R	Info	OEM
6Q0 423 803 A	for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5			6259	6259			for steering gear ID: SMI-Koyo Length: 276,5 mm Outer Thread: M14x1,5 mm Thread Size: M16x1,5	6Q0 423 803 A
6Q0 423 803 E	for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories			6260	6260			for steering gear ID: TRW Length: 275 mm Thread Size 2: M14x1,5 Thread Measurement 1: M14x1,5 with accessories	6Q0 423 803 E
6Q0 423 803 E	for steering gear ID: TRW Electric-hydraulic with accessories			11172	11173			for steering gear ID: TRW Electric-hydraulic with accessories	6Q0 423 804 E
6Q0 423 803 C	for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories			11174	11175			for steering gear manufacturer: SMI-Koyo Electric-hydraulic with accessories	6Q0 423 804 C
6Q0 411 315 A	Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10			5019	5019			Suspension Rod Length: 270 mm Diameter [mm]: 9 Thread Size: M10	6Q0 411 315 A
6Q0 419 811 C	Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5			3435	3436			Length: 94 mm Cone Size: 16 mm Thread Measurement 1: M14x1,5 Thread Size 2: M12x1,5	6Q0 419 812 C
6R0 407 365				4014	4015				6R0 407 366
6R0 407 151				1499	1500				6R0 407 152
6Q0 407 151 D	with rubber mounting Sheet Steel Control Arm			1498	1498			with rubber mounting Sheet Steel Control Arm	6Q0 407 151 D
191 407 182	for control arm Mounting Type: Rubber-metal Bearing			2013	2013			for control arm Mounting Type: Rubber-metal Bearing	191 407 182
110 407 181	for control arm			2014	2014			for control arm	110 407 181
6Q0 407 182 A	for control arm			2349	2349			for control arm	6Q0 407 182 A
6Q0 407 183	for control arm			2350	2350			for control arm	6Q0 407 183
1K0 407 183 E	for control arm Replace in pairs only:			2351	2351			for control arm Replace in pairs only:	1K0 407 183 E



6259



6259



6260



6260



SKODA

11172



11174



5019



3435



4014



1499



1498



2013



2014



2349



2350



2351



11173



11175



5019



3436



4015



1500



1498



2013



2014



2349



2350



2351



SKODA

SUPERB (3T4)							12.1899 - 08.2015		
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 K	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3040	3041			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 K
1K0 407 365 B				4017	4018				1K0 407 366 B
1K0 407 151 AB				1044	1043				1K0 407 152 AA
1K0 501 529 F				1533	1534				1K0 501 530 C
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
1K0 505 171 C	for control arm			2024	2024			for control arm	1K0 505 171 C
1K0 505 203 A	for control arm			2025	2025			for control arm	1K0 505 203 A
1K0 505 279 A	for control arm			2026	2026			for control arm	1K0 505 279 A
1K0 505 541 B	for drag link			2015	2015			for drag link	1K0 505 541 B



6303



6303

5024



5024

3040



3041



4017



4018



1044



1043



1533



1534



	2023		2023	
	5452		5452	
	1027		1027	
	2022		2022	
	2024		2024	
	2025		2025	
	2026		2026	
	2015		2015	

SKODA

SUPERB (3U4)						12.2001 - 08.2015			
OEM	Info	F / R	Type			Type	F / R	Info	OEM
4B0 419 801 B				11019	11019				4B0 419 801 B
8D0 411 317 D				5025	5026				8D0 411 318 D
4B0 419 811 B	Outer Thread: M14x1,5 mm with right-hand thread			3035	3035			Outer Thread: M14x1,5 mm with right-hand thread	4B0 419 811 B
4F0 419 811 D	Outer Thread: M14x1,5 mm with right-hand thread			3036	3036			Outer Thread: M14x1,5 mm with right-hand thread	4F0 419 811 D
8E0 407 509 A	Control Arm with rubber mounting			1052	1051			Control Arm with rubber mounting	8E0 407 510 A
4D0 407 693 AC	Control Arm with rubber mounting with accessories			1046	1047			Control Arm with rubber mounting with accessories	4D0 407 694 AC
8E0 407 505 A	Control Arm with rubber mounting			1048	1049			Control Arm with rubber mounting	8E0 407 506 A
4D0 407 151 A	Control Arm with rubber mounting Aluminium			1045	1045			Control Arm with rubber mounting Aluminium	4D0 407 151 A
4B3 407 151 C	Control Arm with rubber mounting Aluminium			1057	1057			Control Arm with rubber mounting Aluminium	4B3 407 151 C
4D0 407 181 H	for control arm			2029	2029			for control arm	4D0 407 181 H
4D0 407 182 G	for control arm			2030	2030			for control arm	4D0 407 182 G
4D0 407 183 AB	Mounting Type: Hydro Bearing for control arm Outer Diameter: 65,0 mm Inner Diameter: 12,0 mm Width: 80,0 mm			2031	2031			Mounting Type: Hydro Bearing for control arm Outer Diameter: 65,0 mm Inner Diameter: 12,0 mm Width: 80,0 mm	4D0 407 183 AB
4B0 407 515				2034	2034				4B0 407 515



11019



5025



3035



3036



1052



1046



1048



11019



5026



3035



3036



1051




1047




1049

SUPERB (3U4)

12.2001 - 08.2015



SUPERB (3U5)					12.1899 - 09.2015				
OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 423 811 K	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3040	3041			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 K
1K0 407 365 B				4017	4018				1K0 407 366 B
1K0 407 151 AB				1044	1043				1K0 407 152 AA
1K0 199 231 G				2027	2028				1K0 199 232 G
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 323 N				1027	1027				1K0 505 323 N



SKODA

SUPERB (3U5)

12.1899 - 09.2015

2027



2023



2028



2023



1027



1027



YETI (5L)

12.1899 - 09.2015

OEM	Info	F / R	Type			Type	F / R	Info	OEM
1K0 423 810 A	with right-hand thread Thread Size: M16x1,5 Length: 310 mm			6303	6303			with right-hand thread Thread Size: M16x1,5 Length: 310 mm	1K0 423 810 A
1K0 411 315 B	Suspension Rod			5024	5024			Suspension Rod	1K0 411 315 B
1K0 423 811 K	Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5			3040	3041			Thread Measurement 1:M16x1,5 Thread Size 2:M12x1,5	1K0 423 812 K
1K0 407 365 B				4017	4018				1K0 407 366 B
1K0 407 151 AB				1044	1043				1K0 407 152 AA
1K0 199 231 G				2027	2028				1K0 199 232 G
1K0 407 182	for control arm			2023	2023			for control arm	1K0 407 182
1K0 505 465 C	Suspension Rod with accessories			5452	5452			Suspension Rod with accessories	1K0 505 465 C
1K0 505 323 N				1027	1027				1K0 505 323 N
1K0 505 553	for control arm			2022	2022			for control arm	1K0 505 553
1K0 505 541 B	for drag link			2015	2015			for drag link	1K0 505 541 B

6303



6303



5024



5024



3040



3041



SKODA



4017



1044



2027



2023



4018



1043



2028



2023



5452



1027



2022



2015



5452



1027



2022



2015